

**AMENDMENTS TO THE CLAIMS**

**This listing of claims will replace all prior versions and listings of claims in the application:**

**LISTING OF CLAIMS:**

1. (currently amended): A method of controlling a mobile communications system which comprises a plurality of control plane controllers~~controller~~ and a plurality of user plane controllers, comprising:

implementing the plurality of user control plane controllers separate from said plurality of control plane controllers;

logically subordinating each user plane controller to only one control plane controller;

effecting transfer of status information between a user plane controller and a control plane controller other than the control plane controller to which the user plane controller is logically subordinate notwithstanding that the user plane controller is logically subordinate to another of said control plane controllers~~reporting status information of said plurality of user plane controllers to said control plane controller; and~~

~~causing said control plane controller to store said status information in a memory;~~

~~wherein the status information includes traffic information within said plurality of user plane controllers.~~

2. (currently amended): The method of controlling a mobile communications system according to claim 1,

further comprising physically separating said plurality of user plane controllers from said plurality of control plane controllerseontroller.

3. (canceled).

4. (previously presented): The method of controlling a mobile communications system according to claim 1, further comprising, including with said status information bandwidth information of a channel directed to the outside from said plurality of user plane controllers.

5. (previously presented): The method of controlling a mobile communications system according to claim 1, further comprising, including with said status information alarm information detected in said plurality of user plane controllers.

6. (currently amended): The method of controlling a mobile communications system according to claim 1, further comprising, reporting from said plurality of user plane controllers said status information to saidone of said control plane controller upon receipt of a request for transmitting said status information from said control plane controller.

7. (currently amended): The method of controlling a mobile communications system according to claim 1, further comprising, reporting from said plurality of user plane controllers said status information to ~~said~~ one of said control plane controller at a fixed period.

8. (currently amended): The method of controlling a mobile communications system according to claim 1, further comprising, reporting from said plurality of user plane controllers said status information to ~~said~~ one of said control plane controller if a change is found in said status information.

9. (canceled).

10. (canceled).

11. (currently amended): A method of controlling a mobile communications system which comprises a plurality of control plane controllers and a user plane controller, comprising:  
implementing said user plane controller separate from said plurality of control plane controllers;

logically subordinating said user plane controller to only one of said plurality of control plane controllers;

effecting transfer of status information between the user plane controller and a plurality of said control plane controllers notwithstanding that the user plane controller is logically subordinate to only one of said control plane controllers

~~reporting from said user plane controller status information of said user plane controller to said plurality of control plane controllers; and~~

~~storing at said plurality of control plane controllers said status information in a memory of each of said plurality of control plane controllers.~~

12. (currently amended): A mobile communications system comprising:

a plurality of control plane controllers;

a plurality of user plane controllers separate from said plurality of control plane controllers;

wherein each user plane controller is logically subordinate to only one of said control plane controller; and

said mobile communication system further comprising:

means for effecting transfer of status information between a user plane controller and any of said control plane controllers notwithstanding that each user plane controller is logically subordinate to only one of said control plane controllers, for reporting status information of said plurality of user plane controllers to a control plane controller, and

~~a control plane controller for storing said status information in a memory;~~

~~wherein the status information includes traffic information within said plurality of user plane controllers.~~

13. (currently amended): The mobile communications system according to claim 12,

wherein said plurality of user plane controllers are physically separated from said plurality of control plane controller controllers.

14. (canceled).

15. (previously presented): The mobile communications system according to claim 12,

wherein said status information includes bandwidth information of a channel directed to the outside from said plurality of user plane controllers.

16. (previously presented): The mobile communications system according to claim 12,

wherein said status information includes alarm information detected in said plurality of user plane controllers.

17. (currently amended): The mobile communications system according to claim 12, wherein said plurality of user plane controllers further includes means for reporting said status information to one of said control plane ~~controller~~ controllers upon receipt of a request for transmitting said status information from said control plane controller.

18. (currently amended): The mobile communications system according to claim 12, wherein said plurality of user plane controllers ~~controllers~~ further includes means for reporting said status information to one of said control plane controller at a fixed period.

19. (currently amended): The mobile communications system according to claim 12,

wherein said plurality of user plane controllers further includes means for reporting said status information to one of said control plane controllers ~~controller~~ if a change is found in said status information.

20. (currently amended): The mobile communications system according to claim 12, further comprising:

at least one user equipment.

21. (canceled).

22. (canceled).

23. (currently amended): A mobile communications system comprising:  
a plurality of control plane controllers for storing status information in a memory;  
and  
a user plane controller for reporting status information of said user plane controller to said plurality of control plane controllers;  
wherein said user plane controller is logically subordinate only one of said control plane controllers; and  
said mobile communication system further comprises:  
means for effecting transfer status information between the user plane controller and a plurality of said control plane controllers notwithstanding that the user plane controllers logically subordinate to only one of said control plane controllers.

24. (currently amended): The mobile communications system according to claim 23, comprising:

at least one user equipment.

25. (currently amended): The radio access network according to claim-14 12, including means for operating said plurality of control plane-controller controllers when a user equipment located in an area of a first radio base station having a radio link established between said first radio base station and a first user plane controller subordinate to one of said control plane-controller controllers moves to an area of a second radio base station, said second radio base station belonging to a second user plane controller subordinate to another of said control plane-controller controllers, to refer to this ~~other~~ another control plane controller for status information of said second user plane controller, and determining based on the status information of said second user plane controller that is received from this other control plane controller whether or not a radio link can be added at said second user plane controller.

26. (currently amended): The radio access network according to claim 25, wherein said one of said control plane controllers ~~controller~~ includes means for instructing said second user plane controller through said first user plane controller to add a radio link between said second user plane controller and said second radio base station when said one of said control plane-controller controllers determines that a radio link can be added at said second user plane controller.